

4

NOVOSENSE Industrial Control Solution

8


IIIIIII

IIIIIII

LIEP



NOVOSENSE: Highly Robust and Reliable Analog and Mixed Signal Chip Company



NOVOSENSE Microelectronics (NOVOSENSE, SSE Stock Code 688052) is a highly robust & reliable analog and mixed signal chip company. Since its establishment in 2013, the company has been focusing on sensor, signal chain, and power management, providing comprehensive semiconductor products and solutions, which are widely used in automotive, industrial, information communication and consumer electronics markets.

With the mission of "Sense & Drive the Future, Build a Green, Smart and Connected World with Semiconductors", the company is committed to providing chip-level solutions to link the digital world and the real world.

For more information and sample application, please visit: www.novosns.com


NOVOSENSE Products for Industrial Control Applications

\$<u>0</u>

Industrial Control System	Energy Control Unit	Smart Wattmeter	Concentrator	FTU	DTU	PDU	PLC	Stepper Motor	Industrial Frequency Converter	Servo	BTS Battery Component Capacity
Hall Current Sensor	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Operational Amplifier	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
ADC							\checkmark				
Pressure Sensor							\checkmark	\checkmark			
Temperature Sensor			\checkmark		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
CAN Transceiver	\checkmark		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark		\checkmark	\checkmark	\checkmark
RS485 Transceiver	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
I/O Expander	\checkmark		\checkmark								\checkmark
l²C											\checkmark
Buffer							\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Digital Isolator	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Isolated Current/ Voltage Sensing	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Isolated Power	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Isolated Driver							\checkmark	\checkmark	\checkmark	\checkmark	
Non-isolated Driver							\checkmark				\checkmark
High & Low-side Switch							\checkmark				
AC-DC Switching Converter	\checkmark		\checkmark	\checkmark	\checkmark		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
DC-DC Switching Converter	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
LDO			\checkmark	\checkmark	\checkmark	\checkmark		\checkmark	\checkmark		
Voltage Reference				\checkmark	\checkmark	\checkmark	\checkmark		\checkmark		
Supervisor & Reset IC									\checkmark	\checkmark	



CONTENTS



NOVOSENSE Industrial Control Solution

THE PARTY IN

1

= ei

ැටූ

A= A=


Ŧ







Industrial Control Solution Overview



Field Instrument

- 4~20mA industrial transmitter ASIC
- Industrial field bus interface IC
- Digital isolator/Isolated power
- Temperature sensor /MEMS pressure sensor/ Magnetic position sensor
- Buck/LDO/Voltage supervisor
- General operational amplifier
- High-precision voltage reference

PLC/DCS Controller


- Analog input/output AFE
- ISO digital input and output
- Back plane board interface: mLVDS, eFuse, Hot swap
- Industrial field bus interface IC
- Digital isolation & power isolation
- Temperature sensor
- Buck/LDO/Voltage supervisor
- General operational amplifier

Motor Driver & Industrial Robot

- IGBT & MOSFET gate driver
- ISO voltage & current sensing (ISO operational amplifier & ISO ADC)
- High-speed digital isolator
- Industrial field bus and encoder bus interface IC
- General operational amplifier
- High-precision voltage reference
- Analog input/output AFE
- ISO digital input and output
- Temperature sensor
- Magnetic encoder sensor & TMR switch
- Buck/LDO/Voltage supervisor

Energy Control Unit

¢C




NOVOSENSE Part Number	Product Description	Application
NSM201x	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM211x	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection, resonant cavity current detection
NSOPA9xxx	40V high-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NSOPA8xxx	5.5V low-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NSI1312	Isolated amplifier	Isolated voltage sensing
NST235, NST20, NST86, NST60	High linearity & high accuracy analog output temperature sensor	Temperature sensing
NST175	I2C interface digital temperature sensor with 27 selectable addresses, supporting SMBus alarm	Temperature sensing
NST1001, NST1002	D-NTC temperature sensor	Temperature detection
NST112x	High precision digital temperature sensor	Temperature detection
NSI82xx	Digital isolator	Digital signal isolation
NIRS21	Digital isolator	Digital signal isolation
NIRS31	Digital isolator	Digital signal isolation
NCA1051A	CAN transceiver	CAN communication
NCA1042B	CAN transceiver	CAN communication
NCA1044	CAN transceiver	CAN communication
NSI1050	Isolated CAN transceiver	Isolated CAN communication
NSI1042	Isolated CAN transceiver	Isolated CAN communication
NSI83085	Half duplex RS485 transceiver	RS485 communication
NSI83086	Full duplex RS485 transceiver	RS485 communication
NCA3176	RS485 transceiver	RS485 communication
NCA3485	Half duplex RS485 transceiver	RS485 communication
NCA9555	I ² C GPIO expander	I ² C GPIO expander
NSR28C4x	PWM controller	Aux power supply
NSR104xx	Buck	Power supply Buck
NSR31xxx, NSR33xxx, NSR35xxx	40V low lq LDO	Power supply LDO

----'

Smart Wattmeter

¢


BB



NOVOSENSE Part Number	Product Description	Application
NSM201x	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM211x	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection, resonant cavity current detection
NSOPA9xxx	40V high-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NSOPA8xxx	5.5V low-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NSI1312	Isolated amplifier	Isolated voltage sensing
NSI82xx	Digital isolator	Digital signal isolation
NIRS21	Digital isolator	Digital signal isolation
NIRS31	Digital isolator	Digital signal isolation
NSI83085	Half duplex RS485 transceiver	RS485 communication
NSI83086	Full duplex RS485 transceiver	RS485 communication
NCA3176	RS485 transceiver	RS485 communication
NCA3485	Half duplex RS485 transceiver	RS485 communication

Concentrator


øò



NOVOSENSE Part Number	Product Description	Application
NSM201x	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM211x	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection, resonant cavity current detection
NSOPA9xxx	40V high-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NSOPA8xxx	5.5V low-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NSI1312	Isolated amplifier	Isolated voltage sensing
NST235	High linearity & high accuracy analog output temperature sensor	Temperature sensing
NST20	High linearity & high accuracy analog output temperature sensor	Temperature sensing
NST1001	D-NTC temperature sensor	Temperature detection
NST1002	D-NTC temperature sensor	Temperature detection
NSI82xx	Digital isolator	Digital signal isolation
NIRS21	Digital isolator	Digital signal isolation
NIRS31	Digital isolator	Digital signal isolation
NCA1051A	CAN transceiver	CAN communication
NCA1042B	CAN transceiver	CAN communication
NSI1050	Isolated CAN transceiver	Isolated CAN communication
NSI1042	Isolated CAN transceiver	Isolated CAN communication
NSI83085	Half duplex RS485 transceiver	RS485 communication
NSI83086	Full duplex RS485 transceiver	RS485 communication
NCA3176	RS485 transceiver	RS485 communication
NCA3485	Half duplex RS485 transceiver	RS485 communication
NCA9555	I ² C GPIO expander	I ² C GPIO expander
NSR28C4x	PWM controller	Aux power supply
NSR104xx	Buck	Power supply Buck
NSR31xxx, NSR33xxx, NSR35xxx	40V low lq LDO	Power supply LDO

FTU

\$<u>0</u>




NOVOSENSE Part Number	Product Description	Application
NSI1312	Isolated amplifier	Isolated voltage sensing
NSOPA9xxx	40V high-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NSOPA8xxx	5.5V low-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NSM201x	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM211x	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection, resonant cavity current detection
NSREF30xx	High-precision voltage references	Current & voltage & temperature sensing
NSREF31xx	High-precision voltage references	Current & voltage & temperature sensing
NSI82xx	Digital isolator	Digital signal isolation
NIRS21	Digital isolator	Digital signal isolation
NIRS31	Digital isolator	Digital signal isolation
NCA1051A	CAN transceiver	CAN communication
NCA1042B	CAN transceiver	CAN communication
NSI1050	Isolated CAN transceiver	Isolated CAN communication
NSI1042	Isolated CAN transceiver	CAN communication
NSI83085	Half duplex RS485 transceiver	RS485 communication
NSI83086	Full duplex RS485 transceiver	RS485 communication
NCA3176	RS485 transceiver	RS485 communication
NCA3485	Half duplex RS485 transceiver	RS485 communication
NSR28C4x	PWM controller	Aux power supply
NSR104xx	Buck	Power supply Buck
NSR31xxx, NSR33xxx, NSR35xxx	40V low lq LDO	Power supply LDO

DTU

Ó


¢C

. . .



NOVOSENSE Part Number	Product Description	Application
NSM201x	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM211x	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection, resonant cavity current detection
NSI1312	Isolated amplifier	Isolated voltage sensing
NSOPA9xxx	40V high-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NSOPA8xxx	5.5V low-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NST235	High linearity & high accuracy analog output temperature sensor	Temperature sensing
NST20	High linearity & high accuracy analog output temperature sensor	Temperature sensing
NST1001	D-NTC temperature sensor	Temperature detection
NST1002	D-NTC temperature sensor	Temperature detection
NSREF30xx	High-precision voltage references	Current & voltage & temperature sensing
NSREF31xx	High-precision voltage references	Current & voltage & temperature sensing
NSI82xx	Digital isolator	Digital signal isolation
NIRS21	Digital isolator	Digital signal isolation
NIRS31	Digital isolator	Digital signal isolation
NCA1051A	CAN transceiver	CAN communication
NCA1042B	CAN transceiver	CAN communication
NSI1050	Isolated CAN transceiver	Isolated CAN communication
NSI1042	Isolated CAN transceiver	Isolated CAN communication
NSI83085	Half duplex RS485 transceiver	RS485 communication
NSI83086	Full duplex RS485 transceiver	RS485 communication
NCA3176	RS485 transceiver	RS485 communication
NCA3485	Half duplex RS485 transceiver	RS485 communication
NSR28C4x	PWM controller	Aux power supply
NSR104xx	Buck	Power supply Buck
NSR31xxx, NSR33xxx, NSR35xxx	40V low lq LDO	Power supply LDO

PDU




NOVOSENSE Part Number	Product Description	Application
NSM201x	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM211x	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection, resonant cavity current detection
NSI1312	Isolated amplifier	Isolated voltage sensing
NSOPA9xxx	40V high-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NSOPA8xxx	5.5V low-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NST235	High linearity & high accuracy analog output temperature sensor	Temperature sensing
NST20	High linearity & high accuracy analog output temperature sensor	Temperature sensing
NST1001	D-NTC temperature sensor	Temperature detection
NST1002	D-NTC temperature sensor	Temperature detection
NSREF30xx	High-precision voltage references	Current & voltage & temperature sensing
NSREF31xx	High-precision voltage references	Current & voltage & temperature sensing
NSI82xx	Digital isolator	Digital signal isolation
NIRS21	Digital isolator	Digital signal isolation
NIRS31	Digital isolator	Digital signal isolation
NCA1051A	CAN transceiver	CAN communication
NCA1042B	CAN transceiver	CAN communication
NSI1050	Isolated CAN transceiver	Isolated CAN communication
NSI1042	Isolated CAN transceiver	Isolated CAN communication
NSI83085	Half duplex RS485 transceiver	RS485 communication
NSI83086	Full duplex RS485 transceiver	RS485 communication
NCA3176	RS485 transceiver	RS485 communication
NCA3485	Half duplex RS485 transceiver	RS485 communication
NSI8100	I ² C digital isolator	Isolated I ² C communication
NSI8200	I ² C digital isolator	Isolated I ² C communication
NSR28C4x	PWM controller	Aux power supply
NSR104xx	Buck	Power supply Buck
NSR31xxx, NSR33xxx, NSR35xxx	40V low lq LDO	Power supply LDO

PLC

øò

የ፥የ



NOVOSENSE Part Number	Product Description	Application
NST1001	D-NTC temperature sensor	Temperature detection
NST1002	D-NTC temperature sensor	Temperature detection
NSC2860x	Industrial transmitter signal conditioning chip	Temperature/pressure transmitter
NSA2860x	Industrial transmitter signal conditioning chip	Temperature/pressure transmitter
NSA2862x	Industrial transmitter signal conditioning chip	Temperature/pressure transmitter
NSOPA9xxx	40V high-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NSOPA8xxx	5.5V low-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NSAD124x	ADC	Analog input acquisition/high precision temperature measurement (RTD, thermocouple, thermal resistance)
NSAD114x	ADC	Analog input acquisition/high precision temperature measurement (RTD, thermocouple, thermal resistance)
NSI6801	Opto-compatible single-channel isolated gate driver	MOS/IGBT/SiC isolated gate driver
NSI68515	Opto-compatible isolated single-channel driver with protection functions	MOS/IGBT/SiC isolated gate driver
NSI6801M	Single-channel isolated gate driver with Miller Clamp	MOS/IGBT/SiC isolated gate driver
NSD5604	Four-channel low-side relay and solenoid driver	Relay/valve control



NOVOSENSE Part Number	Product Description	Application
NSE11409	40V 90mohm single channel low-side driver	Relay/solenoid valve/load switch
NSD11416, NSD12416	Single/dual-channel 160m Ω low side driver	Relay/valve control
NSI82xx	Digital isolator	Digital signal isolation
NSI8608	Isolated digital input	Isolated digital signal input
NCA1051A	CAN transceiver	CAN communication
NCA1042B	CAN transceiver	CAN communication
NSI1050	Isolated CAN transceiver	Isolated CAN communication
NSI1042	Isolated CAN transceiver	Isolated CAN communication
NSI83085	Half duplex RS485 transceiver	RS485 communication
NSI83086	Full duplex RS485 transceiver	RS485 communication
NCA3176	RS485 transceiver	RS485 communication
NCA3485	Half duplex RS485 transceiver	RS485 communication
NSREF30xx	High-precision voltage references	Current & voltage & temperature sensing
NSREF31xx	High-precision voltage references	Current & voltage & temperatuer sensing
NCA8244	Buffer	Improve driver ability of bus-oriented receivers and transmitters, clock drivers
NCA8245	Buffer	Improve driver ability of bus-oriented receivers and transmitters, clock drivers
NSAD124x	ADC	Analog input acquisition/high precision temperature measurement (RTD, thermocouple, thermal resistance)
NSAD114x	ADC	Analog input acquisition/high precision temperature measurement (RTD, thermocouple, thermal resistance)



14


Stepper Motor

 \bigcirc

_

¢ċ

የቀየ



NOVOSENSE Part Number	Product Description	Application
NSM2011	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2013	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2015	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2017	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2019	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2113	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection resonant cavity current detection
NSI1400	Isolated amplifier	Isolated current sensing
NSI1300	Isolated amplifier	Isolated current sensing
NSI1200C	Isolated amplifier	Isolated current sensing
NSI1312	Isolated amplifier	Isolated voltage sensing
NSI1311	Isolated amplifier	Isolated voltage sensing
NSOPA9xxx	40V high-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NSOPA8xxx	5.5V low-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NST1001	D-NTC temperature sensor	Temperature detection
NST1002	D-NTC temperature sensor	Temperature detection
NSC2860x	Industrial transmitter signal conditioning chip	Temperature/pressure transmitter
NSA2860x	Industrial transmitter signal conditioning chip	Temperature/pressure transmitter
NSA2862x	Industrial transmitter signal conditioning chip	Temperature/pressure transmitter
NSI6801	Opto-compatible single-channel isolated gate driver	MOS/IGBT/SiC isolated gate driver
NSI68515	Opto-compatible isolated single-channel driver with protection functions	MOS/IGBT/SiC isolated gate driver
NSI6801M	Single-channel isolated gate driver with Miller Clamp	MOS/IGBT/SiC isolated gate driver
NCA8244	Buffer	Improve driver ability of bus-oriented receivers and transmitters, clock drivers
NCA8245	Buffer	Improve driver ability of bus-oriented receivers and transmitters, clock drivers
NSI8608	Isolated digital input	Isolated digital signal input
NSI82xx	Digital isolator	Digital signal isolation
NSI83085	Half duplex RS485 transceiver	RS485 communication
NSI83086	Full duplex RS485 transceiver	RS485 communication
NCA3176	RS485 transceiver	RS485 communication
NCA3485	Half duplex RS485 transceiver	RS485 communication
NSR104xx	Buck	Power supply Buck
NSR31xxx, NSR33xxx, NSR35xxx	40V low lq LDO	Power supply LDO


Industrial Frequency Converters

¢Ò

የቀየ

0

ര്



NOVOSENSE Part Number	Product Description	Application
NSM2011	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2013	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2015	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2017	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2019	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2113	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection, resonant cavity current detection
NSM2012	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2311	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSI1400	Isolated amplifier	Isolated current sensing
NSI1300	Isolated amplifier	Isolated current sensing
NSI1200C	Isolated amplifier	Isolated current sensing
NSI1312	Isolated amplifier	Isolated voltage sensing
NSI1311	Isolated amplifier	Isolated voltage sensing

NOVOSENSE Part Number	Product Description	Application
NSI22C11	Isolated single-ended comparator	Over voltage and over temperature protection
NSI22C12	Isolated window comparator	Over current protection
NSOPA9xxx	40V high-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NSOPA8xxx	5.5V low-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NST1001	D-NTC temperature sensor	Temperature detection
NST1002	D-NTC temperature sensor	Temperature detection
NSR104xx	Buck	Power supply Buck
NSR31xxx, NSR33xxx, NSR35xxx	40V low lq LDO	Power supply LDO
NSREF30xx	High-precision voltage references	Current & voltage & temperature sensing
NSREF31xx	High-precision voltage references	Current & voltage & temperature sensing
NSR7808	Voltage supervisor	MCU core voltage supervisor
NSI82xx	Digital isolator	Digital signal isolation
NIRS21	Digital isolator	Digital signal isolation
NIRS31	Digital isolator	Digital signal isolation
NCA1051A	CAN transceiver	CAN communication
NCA1042B	CAN transceiver	CAN communication
NSI1050	Isolated CAN transceiver	Isolated CAN communication
NSI1042	Isolated CAN transceiver	Isolated CAN communication
NSI83085	Half duplex RS485 transceiver	RS485 communication
NSI83086	Full duplex RS485 transceiver	RS485 communication
NCA3176	RS485 transceiver	RS485 communication
NCA3485	Half duplex RS485 transceiver	RS485 communication
NSI6801	Opto-compatible single-channel isolated gate driver	MOS/IGBT/SiC isolated gate driver
NSI68515	Opto-compatible isolated single-channel driver with protection functions	MOS/IGBT/SiC isolated gate driver
NSI6801M	Single-channel isolated gate driver with Miller Clamp	MOS/IGBT/SiC isolated gate driver
NCA8244	Buffer	Improve driver ability of bus-oriented receivers and transmitters, clock drivers

0

<u>\$</u>0




Servo

Œ

¢ċ

የቀየ

BB **B**B



NOVOSENSE Part Number	Product Description	Application
NSM2011	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2013	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2015	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2017	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2019	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2113	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection, resonant cavity current detection
NSI1400	Isolated amplifier	Isolated current sensing
NSI1300	Isolated amplifier	Isolated current sensing
NSI1200C	Isolated amplifier	Isolated current sensing
NSI1312	Isolated amplifier	Isolated voltage sensing
NSI1311	Isolated amplifier	Isolated voltage sensing
NSI1306	Isolated ADC	Isolated current sensing
NSI1305	Isolated ADC	Isolated current sensing

NOVOSENSE Part Number	Product Description	Application
NSI1303	Isolated ADC	Isolated current sensing
NSI22C11	Isolated single-ended comparator	Over voltage and over temperature protection
NSI22C12	Isolated window comparator	Over current protection
NSOPA9xxx	40V high-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NSOPA8xxx	5.5V low-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NST1001	D-NTC temperature sensor	Temperature detection
NST1002	D-NTC temperature sensor	Temperature detection
NSI6801	Opto-compatible single-channel isolated gate driver	MOS/IGBT/SiC isolated gate driver
NSI68515	Opto-compatible isolated single-channel driver with protection functions	MOS/IGBT/SiC isolated gate driver
NSI6801M	Single-channel isolated gate driver with Miller Clamp	MOS/IGBT/SiC isolated gate driver
NCA8244	Buffer	Improve driver ability of bus-oriented receivers and transmitters, clock drivers
NSI8608	Isolated digital input	Isolated digital signal input
NSI82xx	Digital isolator	Digital signal isolation
NSI8260	Digital isolator	Digital signal isolation
NSI8266	Digital isolator	Digital signal isolation
NSI1050	Isolated CAN transceiver	Isolated CAN communication
NSI1042	Isolated CAN transceiver	Isolated CAN communication
NSI83085	Half duplex RS485 transceiver	RS485 communication
NSI83086	Full duplex RS485 transceiver	RS485 communication
NCA3176	RS485 transceiver	RS485 communication
NCA3485	Half duplex RS485 transceiver	RS485 communication

C

Ø0


.

BTS Battery Component Capacity

የቀየ

BB **B**B

ØØ



NOVOSENSE Part Number	Product Description	Application
NSM2011	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2013	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2015	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2017	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2019	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection
NSM2113	Integrated Hall current sensor	PFC current detection, high-volatge battery charging current detection, resonant cavity current detection
NSI1300	Isolated amplifier	Isolated current sensing
NSI1200	Isolated amplifier	Isolated current sensing
NSCSA21x	Isolated amplifier	Achieve higher system accuracy, better feedback control and protection
NSCSA24x	Isolated amplifier	Achieve higher system accuracy, better feedback control and protection
NSCSA199	Isolated amplifier	Realize the amplification or regulation of voltage, current and power signals
NSOPA9xxx	40V high-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering
NSOPA8xxx	5.5V low-voltage general-purpose operational amplifier	Signal amplification/ conditioning/ active filtering

NOVOSENSE Part Number	Product Description	Application
NSI1311	Isolated amplifier	Isolated voltage sensing
NSI1312	Isolated amplifier	Isolated voltage sensing
NST235	High linearity & high accuracy analog output temperature sensor	Temperature sensing
NST20	High linearity & high accuracy analog output temperature sensor	Temperature sensing
NSD1026V	High-speed, low-side, dual-channel non-isolated gate driver	MOS/IGBT/SiC non-isolated gate driver
NSD1624	High-voltage non-isolated half bridge gate driver	MOS/IGBT/SiC non-isolated gate driver
NSD1224	120V half-bridge gate driver	MOS/IGBT/SiC non-isolated gate driver
NCA8244	Buffer	Improve driver ability of bus-oriented receivers and transmitters, clock drivers
NSI8608	Isolated digital input	Isolated digital signal input
NSI824x	Digital isolator	Digital signal isolation
NSI1050	Isolated CAN transceiver	Isolated CAN communication
NSI1042	Isolated CAN transceiver	Isolated CAN communication
NCA1051A	CAN transceiver	CAN communication
NCA1042B	CAN transceiver	CAN communication
NSI83085	Half duplex RS485 transceiver	RS485 communication
NSI83086	Full duplex RS485 transceiver	RS485 communication
NCA3176	RS485 transceiver	RS485 communication
NCA3485	Half duplex RS485 transceiver	RS485 communication
NCA9555	I ² C GPIO expander	I ² C GPIO expander
NSI8100	I ² C digital isolator	Isolated I ² C communication
NSI8200	I ² C digital isolator	Isolated I ² C communication

C

<u>\$0</u>


C

Robust

Reliable

Keep Learning

Persist in Long-term Value









NOVOSENSE, Company Brochure



Auto





NSE

537

TAL ...

NOVOSENSE Microelectronics

≤ sales@novosns.com www.novosns.com

0

B B

In NOVOSENSE Microelectronics NOVOSENSE Microelectronics

1111111

Release Date: April 2024

-

▲.

-

1111111

8 8 1

Guide